CONTENTS OF VOLUME 18

NUMBER 1

Editorial 1

Cover. SAR interferogram of Bagley Ice Field. **D. R. Fatland** 3

Remote sensing of the colour and temperature of volcanic lakes. **C. Oppenheimer** 5

Remote sensing of soils in a eucalypt forest environment. **A. K. Skidmore, C. Varekamp, L. Wilson, E. Knowles and J. Delaney** 39

Use of satellite remote sensing in Malaysian forestry and its potential. **K. Jusoff and G. D. Souza** 57

Multi-sensor analysis of NDVI, surface temperature and biophysical variables at a mixed grassland site. **S. J. Goetz** 71

Classification of croplands through integration of remote sensing, GIS, and historical database. **M. J. Ortiz, A. R. Formaggio and J. C. N. Epiphanio** 95

The inventory and monitoring of eroded lands using remote sensing data. **R. S. Dwivedi, T. Ravi Sankar, L. Venkataratnam, R. L. Karale, S. P. Gawande, K. V. Seshagiri Rao, S. Senchaudhary, K. R. Bhaumik and K. K. Mukharjee** 107

Resolution and error in measuring land-cover change: effects on estimating net carbon release from Mexican terrestrial ecosystems. **R. H. Riley, D. L. Phillips, M. J. Schuft and M. C. Garcia** 121

A simplified method for remote sensing of daily canopy transpiration—a case study with direct measurements of canopy transpiration in soybean canopies. **Y. Inoue and M. S. Moran** 139

Effect of surface soil moisture gradients on modelling radar backscattering from bare fields. **J. B. Boisvert, Q. H. J. Gwyn, A. Chanzy, D. J. Major, B. Brisco and R. J. Brown** 153

Study of sediment distribution in the area of the Pánuco river plume by means of remote sensing. **J. Lira, A. Morales and F. Zamora** 171

Multitemporal Principal Component Analysis of spectral and spatial features of the Venice Lagoon. **A. Picchiotti, R. Casacchia and R. Salvatori** 183

Digital orthorectification of space shuttle coastal ocean photographs. **Q. Zheng, V. Klemas, X.-H. Yan, Z. Wang and K. Kagleder** 197

Remote Sensing Letters

The wavelet transform for local image enhancement. **K. K. Mohanty** 213

Rain generated ring-waves: measurements and modelling for remote sensing. **L. F. Bliven, P. W. Sobieski and C. Craeye** 221

Comments on Kirchhoff's law in thermal-infrared remote sensing. **C. Badenas** 229

Announcement 235

NUMBER 2

Cover. Mapping and measurement of tropical coastal environments with hyperspectral and high spatial resolution data. **C. D. Clark, H. T. Ripley, E. P. Green, A. J. Edwards and P. J. Mumby** 237

Simulated reflectance technique for ATM image enhancement. **Liu Jian Guo, J. McM. Moore and J. D. Haigh** 243

Méthode de détermination des invariants radiométriques adaptée au paysage semi-aride de l'Afrique de l'Ouest. **L. Séguis et C. Puech** 255

Deforestation detection in the Amazon with an AVHRR-based system. **A. C. Di Maio Mantovani and A. W. Setzer** 273

Application of high-resolution thermal infrared remote sensing and GIS to assess the urban heat island effect. **C. P. Lo, D. A. Quattrochi and J. C. Luvall** 287

The 'CORSAGE' programme: continuous orbital remote sensing of archipelagic geochemical effects. **J. G. Acker, C. W. Brown and A. C. Hine** 305

Satellite sea surface temperature patterns. **W. J. Emery and Y. Yu** 323

The extension of the split window technique to passive microwave surface temperature assessment. **J. R. Givri** 335

The detection and mapping of Alaskan wildfires using a spaceborne imaging radar system. **L. L. Bourgeau-Chavez, P. A. Harrell, E. S. Kasischke and N. H. F. French** 355

Backscattering properties of a wet snow cover derived from DEM corrected ERS-1 SAR data. **T. Guneriussen** 375

A poppy survey using high resolution remote sensing data. **S. Chuinsiri, F. Blasco, M-F. Bellan and L. Kergoat** 393

One-dimensional characterization of natural surfaces using *n*-dimensional spectral information. **R. Kaur, B. C. Panda and S. K. Srivastava** 409

Pixel allocation using remotely-sensed data and ground data. **S. Højsgaard, P. Caccetta and H. Kiiveri** 417

Book reviews 435

Remote Sensing Letters

Scaling-up point snow depth data in the U.K. for comparison with SSM/I imagery. **P. M. Atkinson and R. E. J. Kelly** 437

What does multisensor image fusion add in terms of information content for visual interpretation? **F. van der Meer** 445

Estimating local sugarcane evapotranspiration using Landsat TM image and a VITT concept. **Xihua Yang, Qiming Zhou and M. Melville** 453

Initial assessment of ATSR-2 data structure for land surface applications. **F. M. Gemmell and A. C. Millington** 461

Remote sensing and agricultural statistics: crop area estimation in north-eastern Spain through diachronic Landsat TM and ground sample data. **F. González-Alonso, J. M. Cuevas, R. Arbiol and X. Baulies** 467

Announcement 471

NUMBER 3

Cover. The identification of small patterns on the surface of the sea. **J. K. Griffith and R. H. Hubbard** 473

In-flight calibration of NOAA AVHRR visible and near-IR bands over Greenland and Antarctica. **N. G. Loeb** 477

The use of 'overlapping' NOAA-AVHRR NDVI maximum value composites for Scotland and initial comparisons with the land cover census on a Scottish Regional and District basis. **A. R. S. Marçal and G. G. Wright** 491

The influence of meteorological conditions and topographic parameters on the beech forest microclimate of Simbruini Mountains, central Italy. **C. Ricotta and G. C. Avena** 505

The development of composite algorithms for global rainfall estimation using data from the DMSP SSM/I. **D. R. Kniveton, E. C. Barrett and J. C. Dodge** 517

Discrimination of sea ice in the Labrador marginal ice zone from synthetic aperture radar image texture. **M. J. Collins, C. E. Livingstone and R. K. Raney** 535

Analysis of ERS-1 altimeter collinear passes in the Mediterranean Sea during 1992–1993. **S. Vignudelli** 573

Multi-variate optimal speckle reduction in SAR imagery. **J. Bruniquel and A. Lopes** 603

Single point and spatial statistics of polarimetric SAR imagery. **D. Blacknell and A. P. Blake** 629

Correlation and relaxation labelling: an experimental investigation on fast algorithms. **Q. X. Wu, S. J. McNeill and D. Pairman** 651

Remote Sensing Letters

Identification and mapping of the Amazon habitats using a mixing model. **E. M. Novo and Y. E. Shimabukuro** 663

NOAA–AVHRR data processing for the mapping of vegetation cover. **Y. E. Shimabukuro, V. C. Carvalho and B. F. T. Rudorff** 671

The pixel: a snare and a delusion. **P. Fisher** 679

Observations on the relationship between SIR-C radar backscatter and the biomass of regenerating tropical forests. **G. M. Foody, R. M. Green, R. M. Lucas, P. J. Curran, M. Honzak and I. Do Amaral** 687

NUMBER 4

Neural Networks in Remote Sensing

Cover 695

Preface. **P. M. Atkinson and A. R. L. Tatnall** 697

Introduction: Neural networks in remote sensing. **P. M. Atkinson and A. R. L. Tatnall** 699

Strategies and best practice for neural network image classification. **I. Kanellopoulos and G. G. Wilkinson** 711

Feature extraction for multisource data classification with artificial neural networks. **J. A. Benediktsson and J. R. Sveinsson** 727

Textural neural network and version space classifiers for remote sensing. **E. J. Kaminsky, H. Barad and W. Brown** 741

Neural classification of SPOT imagery through integration of intensity and fractal information. **K. S. Chen, S. K. Yen and D. W. Tsay** 763

Log-linear modelling for the evaluation of the variables affecting the accuracy of probabilistic, fuzzy and neural network classifications. **M. K. Arora and G. M. Foody** 785

An evaluation of some factors affecting the accuracy of classification by an artificial neural network. **G. M. Foody and M. K. Arora** 799

Remote sensing image analysis using a neural network and knowledge-based processing. **H. Murai and S. Omatu** 811

Category classification method using a self-organizing neural network. **Y. Ito and S. Omatu** 829

A hybrid histogram/neural network classifier for creating global cloud masks. **A. Logar, E. Corwin, J. Alexander, D. Lloyd, T. Berendes and R. Welch** 847

The Hopfield neural network as a tool for feature tracking and recognition from satellite sensor images. **S. Côté and A. R. L. Tatnall** 871

Neural network classification of convective airmasses for a flood forecasting system. **G. S. Pankiewicz** 887

Determination of spatial and temporal characteristics as an aid to neural network cloud classification. **H. G. Lewis, S. Côté and A. R. L. Tatnall** 899

Mapping sub-pixel proportional land cover with AVHRR imagery. **P. M. Atkinson, M. E. J. Cutler and H. Lewis** 917

Non-linear mixture modelling without end-members using an artificial neural network. **G. M. Foody, R. M. Lucas, P. J. Curran and M. Honzak** 937

Estimating surface radiation fluxes in the Arctic from TOVS brightness temperatures. **A. J. Schweiger and J. R. Key** 955

Biomass retrieval from high-dimensional active/passive remote sensing data by using artificial neural networks. **Y.-Q. Jin and C. Liu** 971

Retrieving forest stand parameters from SAR backscatter data using a neural network trained by a canopy backscatter model. **Y. Wang and D. Dong** 981

Automatic comparison of a topographic map with remotely sensed images in a map updating perspective: the road network case. **R. Fiset and F. Cavayas** 991

NUMBER 5

Cover. Fire emissions from the Orinoco river delta. **C. Balladares, R. Lazo and A. M. Martinez** 1007

Land surface emissivity and temperature determination in the whole HAPEX–Sahel area from AVHRR data. **V. Caselles, C. Coll and E. Valor** 1009

Land cover mapping for tropical forest rehabilitation planning using remotely-sensed data. **A. A. Apan** 1029

Atmospheric correction of NOAA-11 NDVI data in the arid rangelands of Central Australia. **T. J. Hobbs** 1051

Operational yield forecast using AVHRR NDVI data: reduction of environmental and inter-annual variability. **M. S. Rasmussen** 1059

Soil moisture estimation under a vegetation cover: combined active passive microwave remote sensing approach. **N. S. Chauhan** 1079

Correction of atmospheric and topographic effects for high spatial resolution satellite imagery. **R. Richter** 1099

Atmospheric signatures in sea-ice concentration estimates from passive microwaves: modelled and observed. **C. Oelke** 1113

Rainfall rate profiling with attenuating-frequency radar using nonlinear LMS technique under a constraint on path-integrated rainfall rate. **M. Fujita and M. Satake** 1137

A study of thermal and dynamical atmospheric boundary layer structures using acoustic sounding. **M. R. Soler and J. Hinojosa** 1149

The use of airborne remote sensing for benthic cartography: advantages and reliability. **V. Pasqualini, C. Pergent-Martini, C. Fernandez and G. Pergent** 1167

Technical note. Image processing in BASIC: an examination of its potential. **E. Athanassiou and C. Cartalis** 1179

Remote Sensing Letters

Atmospheric monitoring with a spectrographic imager. **R. P. Singh, C. Olbert, C. Lindemann, M. Schaale and R. Furrer** 1183

Combination of the Normalized Difference Vegetation Index and surface temperature for regional scale European Forest cover mapping using AVHRR data. **D. P. Roy, P. Kennedy and S. Folving** 1189

CCSM: cross correlogram spectral matching. **F. van der Meer and W. Bakker** 1197

NUMBER 6

Cover. A first look at Bligh's passage through the Great Barrier Reef. **R. H. Abbot** 1203

Development and implementation of spectral crust index over dune sands. **A. Karnieli** 1207

Integration of geological and geophysical data for the identification of sulphide mineralized zones in Rajpura-Dariba belt, Rajasthan, India. **G. Venkataraman, B. Babu Madhavan, D. S. Ratha and S. Banglani** 1221

Improved geological mapping using Landsat TM data, Southern Red Sea Hills, Sudan: PC and IHS decorrelation stretching. **N. H. Kenea** 1233

Spectral characterization of ophiolite lithologies in the Troodos Ophiolite complex of Cyprus and its potential in prospecting for massive sulphide deposits. **F. van der Meer, M. Vazquez-Torres and P. M. van Dijk** 1245

A comparative study of some non-parametric spectral classifiers. Applications to problems with high-overlapping training sets. **F. J. Cortijo and N. Perez de la Blanca** 1259

Influence of soil surface roughness on soil bidirectional reflectance. **J. Cierniewski and M. Verbrugghe** 1277

Land cover mapping in a tropical hillsides environment: a case study in the Cauca region of Colombia. **M. Langford and W. Bell** 1289

Mediterranean vegetation analysis by multi-temporal satellite sensor data. **A. Grignetti, R. Salvatori, R. Casacchia and F. Manes** 1307

Decomposition of polarimetric synthetic aperture radar backscatter from upland and flooded forests. **Y. Wang and F. W. Davis** 1319

Texture in airborne SAR imagery of tropical forest and its relationship to forest regeneration stage. **A. J. Luckman, A. C. Frery, C. C. F. Yanasse and G. B. Groom** 1333

Radar backscatter analysis for urban environments. **Y. Dong, B. Forster and C. Ticehurst** 1351

Technical note. Inversion of systems of quadratic equations. **A. S. Milman** 1365

Remote Sensing Letters

Relation between satellite observed visible-near infrared emissions, population, economic activity and electric power consumption. **C. D. Elvidge, K. E. Baugh, E. A. Kihn, H. W. Kroehl, E. R. Davis and C. W. Davis** 1373

Ship wakes in radar imagery. **N. R. Stapleton** 1381

Adjustment of the Convective-Stratiform Technique (CST) to estimate 1991/93 El Niño rainfall distribution in Ecuador and Peru by means of Meteosat-3 IR data. **J. Bendix** 1387

Potential vegetation indices for determining global forest cover. **D. S. Boyd and W. J. Ripple** 1395

A non-linear regression form for vegetation index–crop yield relation incorporating acquisition date normalization. **V. K. Dadhwal and V. N. Sridhar** 1403

NUMBER 7

ERIM Eleventh Thematic Conference on Applied Geologic Remote Sensing
Practical Solutions for Real World Problems

Cover 1409

Preface. **K. Bowden** 1411

Remote sensing characteristics of the sediment- and volcanic-hosted precious metal systems: imagery selection for exploration and development. **D. M. Spatz** 1413

The application of Diamond Exploration Geoscientific Information System (DEGIS) technology for integrated diamond exploration in the north-central United States of America. **J. M. Memmi and D. E. Pride** 1439

Lineament mapping for groundwater resource assessment: a comparison of digital Synthetic Aperture Radar (SAR) imagery and stereoscopic Large Format Camera (LFC) photographs in the Red Sea Hills, Sudan. **M. Koch and P. M. Mather** 1465

Airborne and spaceborne Synthetic Aperture Radar (SAR) integration with Landsat TM and gamma ray spectrometry for geological mapping in a tropical rainforest environment, the Carajás Mineral Province, Brazil. **W. R. Paradella, P. A. Bignelli, P. Veneziani, R. W. Pietsch and T. Toutin** 1483

Reducing the effects of vegetation cover on airborne radiometric data using Landsat TM data. **E. M. Schetselaar and A. N. Rencz** 1503

The integration of optical and radar data to characterize mineralogy and morphology of surfaces in Death Valley, California, U.S.A. **K. S. Kierein-Young** 1517

Identification and mapping of ferric oxide and oxyhydroxide minerals in imaging spectrometer data of Summitville, Colorado, U.S.A., and the surrounding San Juan Mountains. **W. H. Farrand** 1543

Mineral mapping with HYperspectral Digital Imagery Collection Experiment (HYDICE) sensor data at Cuprite, Nevada, U.S.A. **R. G. Resmini, M. E. Kappus, W. S. Aldrich, J. C. Harsanyi and M. Anderson** 1553

A comparison of thermal infrared emissivity spectra measured *in situ*, in the laboratory, and derived from thermal infrared multispectral scanner (TIMS) data in Cuprite, Nevada, U.S.A. **Y. Ninomiya, T. Matsunaga, Y. Yamaguchi, K. Ogawa, S. Rokugawa, K. Uchida, H. Muraoka and M. Kaku** 1571

The detection and mapping of buried waste. **J. M. Irvine, T. K. Evers, J. L. Smyre, D. Huff, A. L. King, G. Stahl and J. Odenweller** 1583

The estimation of marshland degradation in southern Iraq using multitemporal Landsat TM images. **D. C. Munro and H. Touron** 1597

A satellite remote sensing technique for geological structure horizon mapping. **A. Fraser, P. Huggins, J. Rees and P. Cleverly** 1607

An optical vertical reference plane correction algorithm for multiple source digital elevation models. **N. Ritter and N. Bryant** 1617

Integrating geophysical data sets using probabilistic methods. **N. Pendock and V. Nedeljkovic** 1627

The GeoTiff data interchange standard for raster geographic images. **N. Ritter and M. Ruth** 1637

NUMBER 8

Cover. JERS1/SAR interferograms of the Great Hanshin earthquake. **A. Inanaga, T. Yamanokuchi, S. Tanaka and M. Ono** 1649

In memoriam. Georges Fraysse 1929–1996 1657

Remote sensing of heat, lava and fumarole emissions from Erta 'Ale volcano, Ethiopia. **C. Oppenheimer and P. Francis** 1661

Spatial disaggregation of spectral data for haze assessment in an arid environment. **M. Abuzar and I. Al-Ghunaim** 1693

Monitoring changes in land cover induced by atmospheric pollution in the Kola Peninsula, Russia, using Landsat-MSS data. **W. G. Rees and M. Williams** 1703

Passive microwave retrievals of precipitation over the Southern Ocean. **T. A. Lachlan-Cope and J. Turner** 1725

Some improvements on the processes to obtain accurate maps of sea surface temperature from AVHRR raw data transmitted in real time. Part 1: HRPT images. **C. Badenas, V. Caselles, M. J. Estrela and R. Marchuet** 1743

Some improvements on the processes to obtain accurate maps of sea surface temperature from AVHRR raw data transmitted in real time. Part 2: APT images. **C. Badenas, M. J. Estrela, R. Marchuet and V. Caselles** 1769

A simplified method of accurate geometric correction for NOAA AVHRR 1B data. **Wu Bingfang and Liu Haiyan** 1795

Sodar aspect sensitivity studies in the convective boundary layer. **S. P. Singal, B. S. Gera, M. A. Kallistratova and I. V. Petenko** 1809

Book reviews 1821

Remote Sensing Letters

Early estimation of rice area using temporal ERS-1 synthetic aperture radar data—a case study for the Howrah and Hughly districts of West Bengal, India. **S. Panigrahy, M. Chakraborty, S. A. Sharma, N. Kundu, S. C. Ghose and M. Pal** 1827

Remote sensing and field data integration in the definition of hydrothermally altered areas in vegetated terrain, central Brazil. **R. Almeida-Filho and I. Vitorello** 1835

Snow depth inverted by scattering indices of SSM/I channels in a mesh graph. **Y.-Q. Jin** 1843

Training strategies for neural network soft classification of remotely-sensed imagery. **A. C. Bernard, G. G. Wilkinson and I. Kanellopoulos** 1851

Errata 1857

NUMBER 9

Environmental Research and Systems Development using Airborne Remote Sensing

Cover 1859

Editorial 1861

Parametric geometric correction of airborne thematic mapper imagery. **D. P. Roy, B. Devereux, B. Grainger and S. J. White** 1865

An integrated data system for airborne remote sensing. **A. K. Wilson** 1889

Selecting the spatial resolution of airborne MSS imagery for small-scale agricultural mapping. **P. M. Atkinson** 1903

An ecological survey of deciduous woodlands using airborne remote sensing and geographical information systems (GIS). **G. A. Blackburn and E. J. Milton** 1919

On the information content of multiple view angle (MVA) images. **M. J. Barnsley, D. Allison and P. Lewis** 1937

The airborne remote sensing of phytoplankton chlorophyll in the lakes and tarns of the English Lake District. **D. G. George** 1961

A simple method of full spectrum reconstruction by a five-band approach for ocean colour applications. **M. R. Wernand, S. J. Shimwell and J. C. de Munck** 1977

Comparisons of remotely sensed observations with modelling predictions for the behaviour of wastewater plumes from coastal discharges. **P. A. Davies, L. A. Mofor and M. J. Valente Neves** 1987

The observation of the surface roughness characteristics of the Rhine plume frontal boundaries by simultaneous airborne thematic mapper and multifrequency helicopter-borne radar scatterometer. **J. P. Matthews, V. R. Wismann, K. Lwiza, R. Romeiser, I. Hennings and G. P. de Loor** 2021

The application of remotely sensed data in the study of frontal systems in the Tay Estuary, Scotland, U.K. **G. Ferrier and J. M. Anderson** 2035

NUMBER 10

Cover. Bathymetric mapping using a Compact Airborne Spectrographic Imager (CASI). **D. G. George** 2067

Estimation of suspended solids from aerial photographs in a GIS. **J. Gao and S. M. O'Leary** 2073

Waveform sampling lidar applications in complex terrain. **C. S. Lin** 2087

Remote sensing of bare surface soil moisture using EMAC/ESAR data. **Z. Su, P. A. Troch and F. P. de Troch** 2105

Validation of a Markov chain canopy reflectance model. **A. Kuusk, B. Andrieu, M. Chelle and F. Aries** 2125

Objectively determined 10-day African rainfall estimates created for famine early warning systems. **A. Herman, V. B. Kumar, P. A. Arkin and J. V. Kousky** 2147

An assessment of AVHRR/NDVI-ecoclimatological relations in Nebraska, U.S.A. **W. Yang, L. Yang and J. W. Merchant** 2161

Inversion of a forest backscatter model using neural networks. **D. S. Kimes, K. J. Ranson and G. Sun** 2181

A forest fire risk assessment using NOAA AVHRR images in the Valencia area, eastern Spain. **F. González-Alonso, J. M. Cuevas, J. L. Casanova, A. Calle and P. Illera** 2201

Estimation of timber volume in a coniferous plantation forest using Landsat TM. **C. M. Trotter, J. R. Dymond and C. J. Goulding** 2209

Research on the standardization of extracting thematic information from TM images by using an optical composition method. **Li-Chang Han** 2225

Remote Sensing Letters

Scattering by artificial wind and rain roughened water surfaces at oblique incidences. **C. Craeye, P. W. Sobieski and L. F. Bliven** 2241

First intercomparison between the aerosols optical depth data obtained by the NOAA satellite sensors and the Optronic OL752 spectroradiometer in the Canary Islands. **F. J. Expósito, J. P. Díaz, M. Arbelo, F. Herrera and J. C. Guerra** 2247

Statistical models of fragmented land cover and the effect of coarse spatial resolution on the estimation of area with satellite sensor imagery. **C. A. Hlavka and G. P. Livingston** 2253

Simulating wheat crop residue reflectance with the SAIL model. **H. Su, M. D. Ransom and E. T. Kanemasu** 2261

NUMBER 11

Cover. Bathymetric mapping in Rupnarayan–Hooghly river confluence using Indian remote sensing satellite data. **K. Vinod Kumar, A. Palit and S. K. Bhan** 2269

An improved lidar method for monitoring surface waters: experiments in the laboratory. **K.-H. Mittenzwey, G. Sinn, N. Roof and S. Harsdorf** 2271

Modulated opto-acoustical sounding of the upper ocean. **A. L. Fabrikant** 2277

Evaluation of minisodar performance operating in high wind conditions. **C. G. Helmis, P. G. Papageorgas, D. N. Asimakopoulos, M. Tombrou and M. Petrakis** 2289

The utility of multi-sensor data for mapping eroded lands. **R. S. Dwivedi, A. B. Kumar and K. N. Tewari** 2303

The integration of a satellite spectral analysis into a heather moorland management model (HMMM): the case of Moidach More, northeast Scotland, U.K. **G. G. Wright, A. R. Sibbald and J. S. Allison** 2319

Use of image processing and GIS techniques to determine the extent and possible causes of land management/fenceline induced degradation problems in the Okavango area, northern Botswana. **S. Ringrose, C. Vanderpost and W. Matheson** 2337

Maximum Value Interpolated (MVI): a Maximum Value Composite method improvement in vegetation index profiles analysis. **R. Taddei** 2365

The relation between active layer depth and a spectral vegetation index in arctic tundra landscapes of the North Slope of Alaska. **C. E. McMichael, A. S. Hope, D. A. Stow and J. B. Fleming** 2371

Investigation of the maximum Normalized Difference Vegetation Index (NDVI) and the maximum surface temperature (T_s) AVHRR compositing procedures for the extraction of NDVI and T_s over forest. **D. P. Roy** 2383

Constraints on using AVHRR composite index imagery to study patterns of vegetation cover in boreal forests. **E. S. Kasischke and N. H. F. French** 2403

The compression of a sequence of satellite images based on change detection. **R. K. Wong, T. Fung, K. S. Leung and Y. Leung** 2427

Technical Note. The discrimination of scenes by principal components analysis of multi-spectral imagery. **J. C. Ceballos and M. J. Bottino** 2437

Calendar of events 2451

Remote Sensing Letters

A new approach for tropical forest area monitoring using multiple spatial resolution satellite sensor imagery. **H. Jeanjean and F. Achard** 2455

A Landsat TM based comparative study of surface and subsurface fires in the Jharia coalfield, India. **A. Prakash, R. P. Gupta and A. K. Saraf** 2463

On the potential for land cover mapping from multiple-view-angle (MVA) remotely-sensed images. **A. H. Hyman and M. J. Barnsley** 2471

NUMBER 12

Cover. ERS-1/2 SAR monitoring of dangerous ice phenomena along the western part of Northern Sea Route. **O. M. Johannessen, S. Sandven, K. Kloster, L. H. Pettersson, V. V. Melentyev, L. P. Bobylev and K. Ya. Kondratyev** 2477

Model-based interpretation of ERS-1 SAR images of Arctic sea ice. **S. G. Beaven, S. P. Gogineni, S. Tjuatja and A. K. Fung** 2483

Microwave snowpack studies made in the Austrian Alps during the SIR-C/X-SAR experiment. **C. Mätzler, T. Strozzi, T. Weise, D.-M. Floricioiu and H. Rott** 2505

Simulation of a multi-layer model of dense scatterers for anomalous scattering signatures from SSM/I snow data. **Ya-Qiu Jin** 2531

Sea surface temperature variability off north-west Africa: 1981–1989. **A. Hernández-Guerra and L. Nykjaer** 2539

A detailed statistical study on selection of optimum IRS LISS pixel configuration for development of water quality models. **M. Anji Reddy** 2559

Spatial discrimination of salt- and sodium-affected soil surfaces. **G. Metternicht and J. A. Zinck** 2571

Analytical parameterization of canopy directional emissivity and directional radiance in the thermal infrared. Application on the retrieval of soil and foliage temperatures using two directional measurements. **C. François, C. Ottlé and L. Prévot** 2587

Microwave dielectric properties of rubber and oil palm leaf samples: measurement and modelling. **H. T. Chuah, S. W. Kam and Y. H. Chye** 2623

Satellite-based forest fire detection for fire control in boreal forests. **Y. Rauste, E. Herland, H. Frelander, K. Soini, T. Kuoremäki and A. Ruokari** 2641

The potential for collocated AGLP and ERBE data for fire, smoke, and radiation budget studies. **S. A. Christopher and J. Chou** 2657

Remote Sensing Letters

Predicting the complexity of habitat in forests from airborne videography for wildlife management. **N. C. Coops and P. C. Catling** 2677

Angular errors in trihedrals used for radar calibrations. **C. Craeye, P. Sobieski, E. Robin and A. Guissard** 2683

Remote estimation of chlorophyll content in higher plant leaves. **A. A. Gitelson and M. N. Merzlyak** 2691

A numerical model for the detection of sediment concentration in stratified river plumes using Thematic Mapper data. **S. Tassan** 2699

Erratum 2707

NUMBER 13

Cover. Vessel classification as part of an automated vessel traffic monitoring system using SAR data. **A. J. Morse and M. A. Protheroe** 2709

Review article. Synthetic aperture radar (SAR) frequency and polarization requirements for applications in ecology, geology, hydrology, and oceanography: a tabular status quo after SIR-C/X-SAR. **C. C. Schmullius and D. L. Evans** 2713

Revealing the geology of the Great Nicobar Island, Indian Ocean, by the interpretation of airborne synthetic aperture radar images. **B. Babu Madhavan, G. Venkataraman, S. D. Shah and B. Krishna Mohan** 2723

MAIS imaging spectrometer data analysis for Ni-Cu prospecting in ultramafic rocks of the Jinchuan group, China. **F. van der Meer, Fan Lihui and J. Bodechtel** 2743

Investigation of effect of heterogeneities in vegetation and rainfall on simulated SSM/I brightness temperatures. **V. Lakshmi, E. F. Wood and B. J. Choudhury** 2763

Cloud detection and derivation of cloud properties from POLDER. **J. C. Buriez, C. Vanbauce, F. Parol, P. Goloub, M. Herman, B. Bonnel, Y. Fouquart, P. Couvert and G. Sèze** 2785

Bidirectional reflectance effects in NOAA AVHRR data. **D. W. Burgess and D. Pairman** 2815

On the in-flight absolute calibration of high spatial resolution spaceborne sensors using small ground targets. **R. Richter** 2827

Visible spectrometric indices of hematite (Hm) and goethite (Gt) content in lateritic soils: the application of a Thematic Mapper (TM) image for soil-mapping in Brasilia, Brazil. **J. Madeira, A. Bédidi, B. Cervelle, M. Pouget and N. Flay** 2835

Mapping groundwater salinity using IRS-1B LISS II data and GIS techniques. **A. Srivastava, N. K. Tripathi and K. V. G. K. Gokhale** 2853

Remote Sensing Letters

Photochemical reflectance index and leaf photosynthetic radiation-use-efficiency assessment in Mediterranean trees. **J. Peñuelas, J. Llusia, J. Piñol and I. Filella** 2863

Estimation of plant water concentration by the reflectance Water Index WI (R900/R970). **J. Peñuelas, J. Piñol, R. Ogaya and I. Filella** 2869

Multi-spectral anisotropic diffusion. **S. T. Acton and J. Landis** 2877

The effect of median filtering on synthetic aperture radar images. **W. G. Rees and M. J. F. Satchell** 2887

NUMBER 14

Cover. The national image mosaic of Eritrea. **S. A. Drury** 2897

Review article. The impact of remote sensing on the study and control of invertebrate intermediate hosts and vectors for disease. **S. I. Hay, M. J. Packer and D. J. Rogers** 2899

Interlinkages of NOAA/AVHRR derived integrated NDVI to seasonal precipitation and transpiration in dryland tropics. **S. K. Srivastava, V. Jayaraman, P. P. Nageswara Rao, B. Manikiam and M. G. Chandrasekhar** 2931

The identification of rice fields using multi-temporal ERS-1 C band SAR data. **T. Kurosu, M. Fujita and K. Chiba** 2953

Evaluating ERS-1 SAR data for the discrimination of tropical forest from other tropical vegetation types in Papua New Guinea. **J. Conway** 2967

The influence of canopy strata on remotely sensed observations of savanna-woodlands. **D. O. Fuller, S. D. Prince and W. L. Astle** 2985

Landsat-based land cover mapping in the lower Yuna River watershed in the Dominican Republic. **M. Laba, S.D. Smith, and S.D. Degloria** 3011

High and low resolution TM data for the assessment of herbage and sward characteristics in small fields. **J. H. McAdam** 3027

Airborne video thermal radiometry as a tool for monitoring microscale structures of the urban heat island. **E. Ben-Dor and H. Saaroni** 3039

Validation of the Geocoding and Compositing System (GEOCOMP) using contextual analysis for AVHRR images. **K. P. Czajkowski, T. Mulhern, S. N. Goward and J. Cihlar** 3055

Technical note. An assessment of the geometric accuracy of remotely-sensed images. **F. Sunar and Ş. Kaya** 3069

Technical note. On estimating measurement error in remotely-sensed images with the variogram. **P. M. Atkinson** 3075

Publications received 3085

Book reviews 3088

Remote Sensing Letters

Relation between vegetation canopy surface temperature and the Sun-surface geometry in a mountainous region of central Italy. **C. Ricotta, G. C. Avena and S. Teggi** 3091

Use of NOAA AVHRR and Landsat Thematic Mapper images in support of studies of atmospheric composition. **C. Cartalis** 3097

Airborne radio echo sounding of outlet glaciers in Greenland. **C. Allen, S. Gogineni, B. Wohletz, K. Jezek and T. Chuah** 3103

NUMBER 15

Cover 3109

Mapping of lava flows through SPOT images—an example of the Sabancaya volcano (Peru). **A. Legeley-Padovani, C. Mering, R. Guillande and D. Huaman** 3111

The impact of random noise on the performance of a new infrared atmospheric sounding interferometer (IASI) configuration. **U. Amato and C. Serio** 3135

A verification of the 'triangle' method for obtaining surface soil water content and energy fluxes from remote measurements of the Normalized Difference Vegetation Index (NDVI) and surface radiant temperature. **R. R. Gillies, T. N. Carlson, J. Cui, W. P. Kustas and K. S. Humes** 3145

Regional scale hierarchical classification of temporal series of AVHRR vegetation index. **A. Lobo, J. J. Ibáñez Martí and C. Carrera Giménez-Cassina** 3167

The long-term monitoring of vegetation cover in the Amazonian region of northern Brazil using NOAA-AVHRR data. **G. T. Batista, Y. E. Shimabukuro and W. T. Lawrence** 3195

A new methodology for the estimation of biomass of conifer-dominated boreal forest using NOAA AVHRR data. **T. Häme, A. Salli, K. Andersson and A. Lohi** 3211

Cloud top phase determination from the fusion of signatures in daytime AVHRR imagery and HIRS data. **K. D. Hutchison, B. J. Etherton, P. C. Topping and H. L. Huang** 3245

Water vapour profile retrievals from SSM/T-2 data constrained by infrared-based cloud parameters. **T. T. Wilheit and K. D. Hutchison** 3263

A method to evaluate the capability of Landsat-5 TM band 6 data for sub-pixel coal fire detection. **Xiangmin Zhang, J. L. Van Genderen and S. B. Kroonenberg** 3279

Remote Sensing Letters

The IGBP-DIS global 1 km land cover data set, DISCover: first results. **T. R. Loveland and A. S. Belward** 3289

Mapping land-cover over large areas using multispectral data derived from the NOAA-AVHRR: a case study of Nigeria. **D. J. Rogers, S. I. Hay, M. J. Packer and G. R. W. Wint** 3297

NUMBER 16

Cover. Human induced disruption of stone pavement surfaces in the Central Namib Desert, Namibia: observations from Landsat Thematic Mapper. **F. Eckardt and K. White** 3305

An automated method for navigation assessment for Earth survey sensors using island targets. **F. S. Patt, R. H. Woodward and W. W. Gregg** 3311

A field experiment in Saharan Algeria for the calibration of optical satellite sensors. **H. Cosnefroy, X. Briottet, M. Leroy, P. Lecomte and R. Santer** 3337

Weathering process effects on spectral reflectance of rocks in a semi-arid environment. **M. T. Younis, M. A. Gilabert, J. Meliá and J. Bastida** 3361

An improved backpropagation neural network for detection of road-like features in satellite imagery. **U. Bhattacharya and S. K. Parui** 3379

An investigation of remotely-sensed soil depth in the optical region. **S. Liang** 3395

The evaluation of digitally enhanced Indian Remote Sensing Satellite (IRS) data for lithological and structural mapping. **J. Krishnamurthy** 3409

Potentiel aquacole régional par télédétection passive et SIG: application aux eaux côtières de la baie des Chaleurs (est du Canada). **M. Habbane, M. I. El-Sabh and J.-M. Dubois** 3439

Estimation of forest Leaf Area Index using remote sensing and GIS data for modelling net primary production. **S. E. Franklin, M. B. Lavigne, M. J. Deuling, M. A. Wulder and E. R. Hunt, Jr** 3459

Comparison of total ozone measurements from a differential optical absorption filter instrument and a Dobson spectrophotometer. **C. Cordoba, A. Perez, I. Aguirre de Carcer, F. Jaque, D. Henriques and F. Carvalho** 3473

On the signatures of river outflow fronts in radar imagery. **J. Vogelzang, K. G. Ruddick and J. B. Moens** 3479

The application of near real-time ERS-1 SAR data to the prediction of the location of internal waves at sea. **J. C. da Silva, D. R. G. Jeans, I. S. Robinson and T. J. Sherwin** 3507

NUMBER 17

Cover 3519

Observation of intense sunglint in 3·7 μm channel of the AVHRR. **S. M. Singh and G. Ferrier** 3521

Arctic tundra albedo and its estimation from spectral hemispheric reflectance. **T. F. Eck, D. W. Deering and L. A. Vierling** 3535

The identification of tropical deforestation fronts at broad spatial scales. **E. F. Lambin and D. Ehrlich** 3551

Technical note. The adjustment of frequency distribution of cover types within sections of the Land Cover Map of Great Britain. **R. A. Wadsworth, R. Cox and R. M. Fuller** 3569

The modified normalized difference vegetation index (mNDVI)—a new index to determine frost damages in agriculture based on Landsat TM data. **C. Jürgens** 3583

A remote sensing approach to alteration mapping: AVIRIS data and extension-related potassium metasomatism, Socorro, New Mexico. **K. K. Beratan, B. Peer, N. W. Dunbar and R. Blom** 3595

Approche structurale de generation d'images de texture. **A. Kourgli and A. Belhadj-Aissa** 3611

Comparison of fuzzy c-means classification, linear mixture modelling and MLC probabilities as tools for unmixing coarse pixels. **L. Bastin** 3629

In place merging of satellite based atmospheric water vapour measurements. **V. Cuomo, V. Tramutoli, N. Pergola, C. Pietrapertosa and F. Romano** 3649

Technical note. The effect of rate of decay of rain path profile on microwave communication. **N. C. Mondal, K. I. Timothy, A. B. Battacharaya and S. K. Sakar** 3669

Remote Sensing Letters

Storm tracks on the Nullarbor Plain. **I. J. Barton and A. J. Prata** 3677

Spectral reflectance of dehydrating leaves: measurements and modelling. **Y. Y. Aldakheel and F. M. Danson** 3683

NUMBER 18

Cover 3691

Accuracy assessment of stereo-extracted data from airborne SAR images. **Th. Toutin** 3693

Multi-frequency SAR images of ship-generated internal waves. **K. Ouchi, N. R. Stapleton and B. C. Barber** 3709

A comparison of Landsat Thematic Mapper and SPOT multi-spectral imagery for the classification of shrub and meadow vegetation in northern California, U.S.A. **A. Michele Basham May, J. E. Pinder III and G. C. Kroh** 3719

The estimation of surface temperature over an agricultural area in the state of Haryana and Panjab, India, and its relationship with the Normalized Difference Vegetation Index (NDVI), using NOAA-AVHRR data. **R. K. Gupta, S. Prasad, M. V. R. Sesha Sai and T. S. Viswanadham** 3729

Errors in a standard method for generating interannual NDVI coefficient of variation (CoV) images. **E. Weiss and L. Milich** 3743

Characterization of the Sahel: implications of correctly calculating interannual coefficients of variation (CoVs) from GAC NDVI values. **L. Milich and E. Weiss** ... 3749

NOAA AVHRR land surface albedo algorithm development. **D. L. Toll, D. Shirey and D. S. Kimes** 3761

Global prediction of area change of suitable regions for cereal cultivation caused by global warming. **K. Okamoto, H. Kawashima and M. Fukuhara** 3797

Landsat TM spectral information to enhance the land cover of Scotland 1988 dataset. **G. G. Wright and J. G. Morrice** 3811

A comparison of contextual classification methods using Landsat TM. **A-M. Flygare** 3835

Technical note. The application of selective principal components analysis (SPCA) to a Thematic Mapper (TM) image for the recognition of geomorphologic features configuration. **P. A. Siljeström, A. Moreno, K. Vikgren and L. M. Cáceres** 3843

Influence of scene topography on the observed correlation between thermal infrared and visible/near-infrared images of ground terrain. **E. Agassi and N. Ben Yosef** 3853

Book reviews 3867

Announcement 3871

Remote Sensing Letters

Fine spatial resolution satellite sensors for the next decade. **P. Aplin, P. M. Atkinson and P. J. Curran** 3873

Detection of changes in remotely-sensed images by the selective use of multi-spectral information. **L. Bruzzone and S. B. Serpico** 3883

Integration of satellite sensor data with DEM for the study of snow cover distribution and depletion pattern. **D. J. Baral and R. P. Gupta** 3889

The evaluation of segmentation results and the overlapping area matrix. **M. Beauchemin and K. P. B. Thomson** 3895

The reliability of vegetation indices for monitoring saltmarsh vegetation cover. **J. A. Eastwood, M. G. Yates, A. G. Thomson and R. M. Fuller** 3901

Single versus stereo ERS-1 SAR imagery for planimetric features extraction. **Th. Toutin** 3909

Index of authors (with the titles of papers) 3915